

Центрифужные пробирки

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727) 34-54-704

Беларусь +(375) 257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: aqs@nt-rt.ru || сайт: <https://abdos.nt-rt.ru/>

Micro Centrifuge Tubes, PP

- Abdos Micro Centrifuge tubes are manufactured using high purity virgin USP Class VI Medical grade polypropylene (PP) conforming to US FDA 21 CFR, free from natural rubber & heavy metal.
- These tubes can be used between -80°C to 121°C & with various organic solvents.
- These tubes are boil proof.
- These tubes come with integral snap cap.
- Frosting on the surface of the tubes makes writing easier.
- Large moulded-in graduations make identification easy.
- Can withstand up to 20000 xg RCF*.
- Amber coloured micro centrifuge tubes are suitable for light-sensitive samples. do not allow any light to pass through the tubes.



Micro Centrifuges Tube, PP

Code	Capacity	Outer Diameter	Height	No./case
P10201	0.5 ml	10 mm	31.5 mm	1000
P10202	1.5 ml	13 mm	41 mm	500
P10203	2.0 ml	13 mm	41 mm	500

Micro Centrifuges Tubes, PP (Coloured & Amber)

Code	Capacity	Outer Diameter	Height	No./case
P10207	0.5 ml Coloured	10 mm	31.5 mm	1000
P10201A	0.5 ml Amber	10 mm	31.5 mm	1000
P10204	1.5 ml Coloured	13 mm	41 mm	500
P10204A	1.5 ml Amber	13 mm	41 mm	500
P10205	2.0 ml Coloured	13 mm	41 mm	500
P10203A	2.0 ml Amber	13 mm	41 mm	500

P10207, P10204 & P10205 are available in Red, Blue, Yellow and Green colour.




LAST DROP™, Low Retention Micro Centrifuge Tubes, PP

- Abdos Micro Centrifuge tubes are manufactured using high purity virgin USP Class VI Medical grade polypropylene (PP) conforming to US FDA 21 CFR, free from natural rubber & heavy metal.
- These tubes can be used between -80°C to 121°C & with various organic solvents.
- Abdos low binding technology provides 10 times lesser retention level with highly viscous samples & saves costly reagents.
- These tubes are boil proof.
- These tubes come with integral snap cap.
- Frosting on the surface of the tubes makes writing easier.
- Large moulded-in graduations make identification easy.
- Can withstand up to 20000 xg RCF*.



Code	Capacity	Outer Diameter	Height	No./case
P10208	0.5 ml	10 mm	31.5 mm	1000
P10209	1.5 ml	13 mm	41 mm	500
P10210	2 ml	13 mm	41 mm	500

*Depending on the quality of Centrifuge and compatibility of Rotor.



ABDOS Screw Cap Tubes

An expert in Safe Sample Preparation

Standard & Looped cap, available in various colors (Red, Green, Yellow, Blue, Orange, Purple & White).

Manufactured using high purity virgin USP Class VI medical grade Polypropylene (PP) conforming to US FDA 21 CFR

Withstand RCF up to 20,000xg

Last Drop Screw Cap Tubes offer the Lowest retention with improved sample recovery.

The EPDM 'O' ring ensures maximum sealability, prevents evaporation & leakage.

Knurl Tubes feature the ability to lock tubes into ABDOS Screw Cap Tube racks for single-hand operations

Fully Autoclavable, operating temperature Range up from -196°C to +121°C

Screw Cap Tubes are available in Printed, Non-Printed formats with Assembled cap option as well.



Non-printed and non-assembled

Non- Sterile Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case
PI0223	0.5 ml Self-standing	10.2 mm	43.85 mm	1000
PI0227	1.5 ml Self- standing	10.2 mm	44 mm	1000
PI0231	1.5 ml conical	10.2 mm	43.1 mm	1000
PI0235	2.0 ml Self- standing	10.2 mm	45.1 mm	1000
PI0239	2.0 ml conical	10.2 mm	44.3 mm	1000
PI0223A	0.5 ml amber Self-standing	10.2 mm	43.85 mm	1000
PI0223A1	0.5 ml transparent amber Self-standing	10.2 mm	43.85 mm	1000
PI0225	0.5 ml coloured Self-standing	10.2 mm	43.85 mm	1000
PI0260A	1.5 ml amber Self- standing	10.2 mm	44 mm	1000
PI0260A1	1.5 ml transparent amber Self-standing	10.2 mm	44 mm	1000
PI0229	1.5 ml coloured Self- standing	10.2 mm	44 mm	1000
PI0270A	1.5 ml amber conical	10.2 mm	43.1 mm	1000
PI0232A1	1.5 ml transparent amber conical	10.2 mm	43.1 mm	1000
PI0233	1.5 ml coloured conical	10.2 mm	43.1 mm	1000

**** PI0225, PI0229, PI0233, PI0237, PI0241 are available with red, blue, green, yellow, orange, purple & white color cap options for color coding**

Code	Capacity	Outer Diameter	Height	No./case
PI0272A	2.0 ml amber self-stand	10.2 mm	45.1 mm	1000
PI0236A1	2.0 ml transparent amber self-stand	10.2 mm	45.1 mm	1000
PI0237	2.0 ml coloured self-stand	10.2 mm	45.1 mm	1000
PI0274A	2.0 ml amber conical	10.2 mm	44.3 mm	1000
PI0240A1	2.0 ml transparent amber conical	10.2 mm	44.3 mm	1000
PI0241	2.0 ml coloured conical	10.2 mm	44.3 mm	1000

Last Drop Low Retention Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case
PI0222	0.5 ml Self-standing	10.2 mm	43.85 mm	1000
PI0243	1.5 ml Self-standing	10.2 mm	44 mm	1000
PI0244	1.5 ml conical	10.2 mm	43.1 mm	1000
PI0245	2.0 ml Self-standing	10.2 mm	45.1 mm	1000
PI0246	2.0 ml conical	10.2 mm	44.3 mm	1000

Sterile Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case
PI0224	0.5 ml Self-standing	10.2 mm	43.85 mm	1000
PI0228	1.5 ml Self-standing	10.2 mm	44 mm	1000
PI0232	1.5 ml Conical	10.2 mm	43.1 mm	1000
PI0236	2.0 ml self -standing	10.2 mm	45.1 mm	1000
PI0240	2.0 ml Conical	10.2 mm	44.3 mm	1000
PI0224A	0.5 ml amber Self-standing	10.2 mm	43.85 mm	1000
PI0224A1	0.5 ml transparent amber Self-standing	10.2 mm	43.85 mm	1000
PI0226	0.5 ml coloured Self-standing	10.2 mm	43.85 mm	1000
PI0228A	1.5 ml amber Self-standing	10.2 mm	43.95 mm	1000
PI0228A1	1.5 ml transparent amber Self-standing	10.2 mm	44 mm	1000
PI0230	1.5 ml coloured Self-standing	10.2 mm	44 mm	1000
PI0232A	1.5 ml amber conical	10.2 mm	43.1 mm	1000
PI0270A1	1.5 ml transparent amber conical	10.2 mm	43.1 mm	1000
PI0234	1.5 ml coloured conical	10.2 mm	43.1 mm	1000

**** PI0225, PI0229, PI0233, PI0237, PI0241 are available with red, blue, green, yellow, orange, purple & white color cap options for color coding**

Code	Capacity	Outer Diameter	Height	No./case
PI0236A	2.0 ml amber	10.2 mm	45.1 mm	1000
PI0272A1	2.0 ml transparent amber	10.2 mm	45.1 mm	1000
PI0238	2.0 ml coloured	10.2 mm	45.1 mm	1000
PI0240A	2.0 ml amber	10.2 mm	44.3 mm	1000
PI0274A1	2.0 ml transparent amber	10.2 mm	44.3 mm	1000
PI0242	2.0 ml coloured	10.2 mm	44.3 mm	1000

Last Drop Low Retention Screw cap tubes with EPDM O-Ring,PP

Code	Capacity	Outer Diameter	Height	No./case
PI0221	0.5 ml Self-standing	10.2 mm	43.85 mm	1000
PI0247	1.5 ml Self-standing	10.2 mm	44 mm	1000
PI0248	1.5 ml conical	10.2 mm	43.1 mm	1000
PI0249	2.0 ml Self-standing	10.2 mm	45.1 mm	1000
PI0250	2.0 ml conical	10.2 mm	44.3 mm	1000

Printed and Non-assembled

Non- Sterile Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case
P30223	0.5 ml Self-standing	10.2 mm	43.85 mm	1000
P30227	1.5 ml Self-standing	10.2 mm	44 mm	1000
P30231	1.5 ml conical	10.2 mm	43.1 mm	1000
P30235	2.0 ml self -standing	10.2 mm	45.1 mm	1000
P30239	2.0 ml conical	10.2 mm	44.3 mm	1000
P30223A	0.5 ml amber Self-standing	10.2 mm	43.85 mm	1000
P30223A1	0.5 ml transparent amber Self-standing	10.2 mm	43.85 mm	1000
P30225	0.5 ml coloured Self-standing	10.2 mm	43.85 mm	1000
P30260A	1.5 ml amber Self-standing	10.2 mm	44 mm	1000
P30260A1	1.5 ml transparent amber Self-standing	10.2 mm	44 mm	1000
P30229	1.5 ml coloured Self-standing	10.2 mm	44 mm	1000
P30270A	1.5 ml amber conical	10.2 mm	43.1 mm	1000
P30232A1	1.5 ml transparent amber conical	10.2 mm	43.1 mm	1000
P30233	1.5 ml coloured conical	10.2 mm	43.1 mm	1000

*****P30225, P30229, P30233, P30237, P30241 are available withred, blue, green, yellow, orange, purple & white color cap options for color coding**

Code	Capacity	Outer Diameter	Height	No./case
P30272A	2.0 ml amber self-standing	10.2 mm	45.1 mm	1000
P30236A1	2.0 ml transparent amber self-standing	10.2 mm	45.1 mm	1000
P30237	2.0 ml coloured self-standing	10.2 mm	45.1 mm	1000
P30274A	2.0 ml amber Conical	10.2 mm	44.3 mm	1000
P30240A1	2.0 ml transparent amber Conical	10.2 mm	44.3 mm	1000
P30241	2.0 ml coloured Conical	10.2 mm	44.3 mm	1000

Last Drop Low Retention Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case
P30222	0.5 ml Self-standing	10.2 mm	43.85 mm	1000
P30243	1.5 ml Self-standing	10.2 mm	44 mm	1000
P30244	1.5 ml conical	10.2 mm	43.1 mm	1000
P30245	2.0 ml Self-standing	10.2 mm	45.1 mm	1000
P30246	2.0 ml conical	10.2 mm	44.3 mm	1000

Sterile Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case
P30224	0.5 ml Self-standing	10.2 mm	43.85 mm	1000
P30228	1.5 ml Self-standing	10.2 mm	44 mm	1000
P30232	1.5 ml Conical	10.2 mm	43.1 mm	1000
P30236	2.0 ml self -standing	10.2 mm	45.1 mm	1000
P30240	2.0 ml Conical	10.2 mm	44.3 mm	1000
P30224A	0.5 ml amber Self-standing	10.2 mm	43.85 mm	1000
P30224A1	0.5 ml transparent amber Self-standing	10.2 mm	43.85 mm	1000
P30226	0.5 ml coloured Self-standing	10.2 mm	43.85 mm	1000
P30228A	1.5 ml amber Self-standing	10.2 mm	43.95 mm	1000
P30228A1	1.5 ml transparent amber Self-standing	10.2 mm	44 mm	1000
P30230	1.5 ml coloured Self-standing	10.2 mm	44 mm	1000
P30232A	1.5 ml amber conical	10.2 mm	43.1 mm	1000
P30270A1	1.5 ml transparent amber conical	10.2 mm	43.1 mm	1000
P30234	1.5 ml coloured conical	10.2 mm	43.1 mm	1000

****P30226, P30230, P30234, P30238, P30242 are available with red, blue, green, yellow, orange, purple & white color cap options for color coding**

Code	Capacity	Outer Diameter	Height	No./case
P30236A	2.0 ml amber self-stand	10.2 mm	45.1 mm	1000
P30272A1	2.0 ml transparent amber self-standing	10.2 mm	45.1 mm	1000
P30238	2.0 ml coloured self-standing	10.2 mm	45.1 mm	1000
P30240A	2.0 ml amber Conical	10.2 mm	44.3 mm	1000
P30274A1	2.0 ml transparent amber Conical	10.2 mm	44.3 mm	1000
P30242	2.0 ml coloured Conical	10.2 mm	44.3 mm	1000

Last Drop Low Retention Screw cap tubes with EPDM O-Ring,PP

Code	Capacity	Outer Diameter	Height	No./case
P30221	0.5 ml Self-standing	10.2 mm	43.85 mm	1000
P30247	1.5 ml Self-standing	10.2 mm	44 mm	1000
P30248	1.5 ml conical	10.2 mm	43.1 mm	1000
P30249	2.0 ml Self-standing	10.2 mm	45.1 mm	1000
P30250	2.0 ml conical	10.2 mm	44.3 mm	1000

Non-Printed and Assembled

Non- Sterile Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case
P40223	0.5 ml Self-standing	10.2 mm	43.85 mm	1000
P40227	1.5 ml Self-standing	10.2 mm	44 mm	1000
P40231	1.5 ml conical	10.2 mm	43.1 mm	1000
P40235	2.0 ml self-standing	10.2 mm	45.1 mm	1000
P40239	2.0 ml	10.2 mm	44.3 mm	1000
P40223A	0.5 ml amber self-standing	10.2 mm	43.85 mm	1000
P40223A1	0.5 ml transparent amber self-standing	10.2 mm	43.85 mm	1000
P40225	0.5 ml colour self-standing	10.2 mm	43.85 mm	1000
P40260A	1.5 ml amber self-standing	10.2 mm	44 mm	1000
P40260A1	1.5 ml transparent amber self-standing	10.2 mm	44 mm	1000
P40229	1.5 ml colour self-standing	10.2 mm	44 mm	1000
P40270A	1.5 ml amber conical	10.2 mm	43.1 mm	1000
P40232A1	1.5 ml transparent amber conical	10.2 mm	43.1 mm	1000
P40233	1.5 ml coloured conical	10.2 mm	43.1 mm	1000

****P40225, P40229, P40233, P40237, P40241 are available with red, blue, green, yellow, orange, purple & white color cap options for color coding**

Code	Capacity	Outer Diameter	Height	No./case
P40272A	2.0 ml amber Self-standing	10.2 mm	45.1 mm	1000
P40236A1	2.0 ml transparent amber Self-standing	10.2 mm	45.1 mm	1000
P40237	2.0 ml coloured Self-standing	10.2 mm	45.1 mm	1000
P40274A	2.0 ml amber conical	10.2 mm	44.3 mm	1000
P40240A1	2.0 ml transparent amber conical	10.2 mm	44.3 mm	1000
P40241	2.0 ml coloured conical	10.2 mm	44.3 mm	1000

Last Drop Low Retention Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case
P40222	0.5 ml Self-standing	10.2 mm	43.85 mm	1000
P40243	1.5 ml Self-standing	10.2 mm	44 mm	1000
P40244	1.5 ml conical	10.2 mm	43.1 mm	1000
P40245	2.0 ml Self-standing	10.2 mm	45.1 mm	1000
P40246	2.0 ml conical	10.2 mm	44.3 mm	1000

Sterile Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case
P40224	0.5 ml Self-standing	10.2 mm	43.85 mm	1000
P40228	1.5 ml Self-standing	10.2 mm	44 mm	1000
P40232	1.5 ml Conical	10.2 mm	43.1 mm	1000
P40236	2.0 ml self-standing	10.2 mm	45.1 mm	1000
P40240	2.0 ml Conical	10.2 mm	44.3 mm	1000
P40224A	0.5 ml amber Self-standing	10.2 mm	43.85 mm	1000
P40224A1	0.5 ml transparent amber Self-standing	10.2 mm	43.85 mm	1000
P40226	0.5 ml coloured Self-standing	10.2 mm	43.85 mm	1000
P40228A	1.5 ml amber Self-standing	10.2 mm	43.95 mm	1000
P40228A1	1.5 ml transparent amber Self-standing	10.2 mm	44 mm	1000
P40230	1.5 ml coloured Self-standing	10.2 mm	44 mm	1000
P40232A	1.5 ml amber conical	10.2 mm	43.1 mm	1000
P40270A1	1.5 ml transparent amber conical	10.2 mm	43.1 mm	1000
P40234	1.5 ml coloured conical	10.2 mm	43.1 mm	1000

****P40226, P40230, P40234, P40238, P40242 are available with red, blue, green, yellow, orange, purple & white color cap options for color coding**

Code	Capacity	Outer Diameter	Height	No./case
P40236A	2.0 ml amber	10.2 mm	45.1 mm	1000
P40272A1	2.0 ml transparent amber	10.2 mm	45.1 mm	1000
P40238	2.0 ml coloured	10.2 mm	45.1 mm	1000
P40240A	2.0 ml amber	10.2 mm	44.3 mm	1000
P40274A1	2.0 ml transparent amber	10.2 mm	44.3 mm	1000
P40242	2.0 ml coloured	10.2 mm	44.3 mm	1000

Last Drop Low Retention Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case
P40221	0.5 ml Self-standing	10.2 mm	43.85 mm	1000
P40247	1.5 ml Self-standing	10.2 mm	44 mm	1000
P40248	1.5 ml conical	10.2 mm	43.1 mm	1000
P40249	2.0 ml Self-standing	10.2 mm	45.1 mm	1000
P40250	2.0 ml conical	10.2 mm	44.3 mm	1000

Printed and Assembled

Non- Sterile Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case
P50223	0.5 ml Self-standing	10.2 mm	43.85 mm	1000
P50227	1.5 ml Self-standing	10.2 mm	44 mm	1000
P50231	1.5 ml conical	10.2 mm	43.1 mm	1000
P50235	2.0 ml self-standing	10.2 mm	45.1 mm	1000
P50239	2.0 ml conical	10.2 mm	44.3 mm	1000
P50223A	0.5 ml amber Self-standing	10.2 mm	43.85 mm	1000
P50223A1	0.5 ml transparent amber Self-standing	10.2 mm	43.85 mm	1000
P50225	0.5 ml coloured Self-standing	10.2 mm	43.85 mm	1000
P50260A	1.5 ml amber Self-standing	10.2 mm	44 mm	1000
P50260A1	1.5 ml transparent amber Self-standing	10.2 mm	44 mm	1000
P50229	1.5 ml coloured Self-standing	10.2 mm	44 mm	1000
P50270A	1.5 ml amber conical	10.2 mm	43.1 mm	1000
P50232A1	1.5 ml transparent amber conical	10.2 mm	43.1 mm	1000
P50233	1.5 ml coloured conical	10.2 mm	43.1 mm	1000

****P50225, P50229, P50233, P50237, P50241 are available with red, blue, green, yellow, orange, purple & white color cap options for color coding**

Code	Capacity	Outer Diameter	Height	No./case
P50272A	2.0 ml amber self-standing	10.2 mm	45.1 mm	1000
P50236A1	2.0 ml transparent amber self-standing	10.2 mm	45.1 mm	1000
P50237	2.0 ml coloured self-standing	10.2 mm	45.1 mm	1000
P50274A	2.0 ml amber Conical	10.2 mm	44.3 mm	1000
P50240A1	2.0 ml transparent amber Conical	10.2 mm	44.3 mm	1000
P50241	2.0 ml coloured Conical	10.2 mm	44.3 mm	1000

Last Drop Low Retention Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case
P50222	0.5 ml Self-standing	10.2 mm	43.85 mm	1000
P50243	1.5 ml Self-standing	10.2 mm	44 mm	1000
P50244	1.5 ml conical	10.2 mm	43.1 mm	1000
P50245	2.0 ml Self-standing	10.2 mm	45.1 mm	1000
P50246	2.0 ml conical	10.2 mm	44.3 mm	1000

Sterile Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case
P50224	0.5 ml Self-standing	10.2 mm	43.85 mm	1000
P50228	1.5 ml Self-standing	10.2 mm	44 mm	1000
P50232	1.5 ml Conical	10.2 mm	43.1 mm	1000
P50236	2.0 ml self-standing	10.2 mm	45.1 mm	1000
P50240	2.0 ml Conical	10.2 mm	44.3 mm	1000
P50224A	0.5 ml amber Self-standing	10.2 mm	43.85 mm	1000
P50224A1	0.5 ml transparent amber Self-standing	10.2 mm	43.85 mm	1000
P50226	0.5 ml coloured Self-standing	10.2 mm	43.85 mm	1000
P50228A	1.5 ml amber Self-standing	10.2 mm	43.95 mm	1000
P50228A1	1.5 ml transparent amber Self-standing	10.2 mm	44 mm	1000
P50230	1.5 ml coloured Self-standing	10.2 mm	44 mm	1000
P50232A	1.5 ml amber conical	10.2 mm	43.1 mm	1000
P50270A1	1.5 ml transparent amber conical	10.2 mm	43.1 mm	1000
P50234	1.5 ml coloured conical	10.2 mm	43.1 mm	1000

****P50226, P50230, P50234, P50238, P50242 are available with red, blue, green, yellow, orange, purple & white color cap options for color coding**

Code	Capacity	Outer Diameter	Height	No./case
P50236A	2.0 ml amber self-stand	10.2 mm	45.1 mm	1000
P50272A1	2.0 ml transparent amber self-standing	10.2 mm	45.1 mm	1000
P50238	2.0 ml coloured self-standing	10.2 mm	45.1 mm	1000
P50240A	2.0 ml amber Conical	10.2 mm	44.3 mm	1000
P50274A1	2.0 ml transparent amber Conical	10.2 mm	44.3 mm	1000
P50242	2.0 ml coloured Conical	10.2 mm	44.3 mm	1000

Last Drop Low Retention Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case
P50221	0.5 ml Self-standing	10.2 mm	43.85 mm	1000
P50247	1.5 ml Self-standing	10.2 mm	44 mm	1000
P50248	1.5 ml conical	10.2 mm	43.1 mm	1000
P50249	2.0 ml Self-standing	10.2 mm	45.1 mm	1000
P50250	2.0 ml conical	10.2 mm	44.3 mm	1000

Non-Printed Screw Cap Tube with Looped Cap

Non-Sterile Screw cap tubes with Looped Cap

Code	Capacity	Outer Diameter	Height	No./case
PI0252	0.5 ml Self-standing	10.2 mm	43.85 mm	1000
PI0254	1.5 ml Self-standing	10.2 mm	44 mm	1000
PI0256	1.5 ml conical	10.2 mm	43.1 mm	1000
PI0258	2.0 ml Self-standing	10.2 mm	45.1 mm	1000
PI0260	2.0 ml conical	10.2 mm	44.3 mm	1000
PI0252A	0.5 ml amber Self-standing	10.2 mm	43.85 mm	1000
PI0252A1	0.5 ml transparent amber Self-standing	10.2 mm	43.85 mm	1000
PI0262	0.5 ml coloured Self-standing	10.2 mm	43.85 mm	1000
PI0254A	1.5 ml amber Self-standing	10.2 mm	44 mm	1000
PI0254A1	1.5 ml transparent amber Self-standing	10.2 mm	44 mm	1000
PI0264	1.5 ml coloured Self-standing	10.2 mm	44 mm	1000
PI0256A	1.5 ml amber conical	10.2 mm	43.1 mm	1000
PI0256A1	1.5 ml transparent amber conical	10.2 mm	43.1 mm	1000
PI0266	1.5 ml coloured conical	10.2 mm	43.1 mm	1000

** PI0225, PI0229, PI0233, PI0237, PI0241 are available with red, blue, green, yellow, orange, purple & white color cap options for color coding

Sterile Screw Cap tubes with Looped Cap

Code	Capacity	Outer Diameter	Height	No./case
PI0253	0.5 ml Self-standing	10.2 mm	43.85 mm	1000
PI0255	1.5 ml Self-standing	10.2 mm	44 mm	1000
PI0257	1.5 ml Conical	10.2 mm	43.1 mm	1000
PI0259	2.0 ml self-standing	10.2 mm	45.1 mm	1000
PI0261	2.0 ml Conical	10.2 mm	44.3 mm	1000
PI0253A	0.5 ml amber Self-standing	10.2 mm	43.85 mm	1000
PI0253A1	0.5 ml transparent amber Self-standing	10.2 mm	43.85 mm	1000
PI0263	0.5 ml coloured Self-standing	10.2 mm	43.85 mm	1000
PI0255A	1.5 ml amber Self-standing	10.2 mm	43.95 mm	1000
PI0255A1	1.5 ml transparent amber Self-standing	10.2 mm	44 mm	1000
PI0265	1.5 ml coloured Self-standing	10.2 mm	44 mm	1000
PI0257A	1.5 ml amber conical	10.2 mm	43.1 mm	1000
PI0257A1	1.5 ml transparent amber conical	10.2 mm	43.1 mm	1000
PI0267	1.5 ml coloured conical	10.2 mm	43.1 mm	1000

PI0263, PI0265, PI0267, PI0269 & PI0271 are available with red, blue, green, yellow, orange, purple & white color looped cap options for color coding

Code	Capacity	Outer Diameter	Height	No./case
PI0258A	2.0 ml amber self-stand	10.2 mm	45.1 mm	1000
PI0258A1	2.0 ml transparent amber self-stand	10.2 mm	45.1 mm	1000
PI0268	2.0 ml coloured self-stand	10.2 mm	45.1 mm	1000
PI0260A	2.0 ml amber conical	10.2 mm	44.3 mm	1000
PI0260A1	2.0 ml transparent amber conical	10.2 mm	44.3 mm	1000
PI0270	2.0 ml coloured conical	10.2 mm	44.3 mm	1000

Last Drop Low Retention Screw cap tubes with Looped Cap

Code	Capacity	Outer Diameter	Height	No./case
PI0272	0.5 ml Self-standing	10.2 mm	43.85 mm	1000
PI0273	1.5 ml Self-standing	10.2 mm	44 mm	1000
PI0274	1.5 ml conical	10.2 mm	43.1 mm	1000
PI0275	2.0 ml Self-standing	10.2 mm	45.1 mm	1000
PI0276	2.0 ml conical	10.2 mm	44.3 mm	1000

Last Drop Low Retention Screw Cap tubes with Looped Cap

Code	Capacity	Outer Diameter	Height	No./case
PI0277	0.5 ml Self-standing	10.2 mm	43.85 mm	1000
PI0278	1.5 ml Self-standing	10.2 mm	44 mm	1000
PI0279	1.5 ml conical	10.2 mm	43.1 mm	1000
PI0280	2.0 ml Self-standing	10.2 mm	45.1 mm	1000
PI0281	2.0 ml conical	10.2 mm	44.3 mm	1000

Printed Screw Cap Tube with Looped Cap

Non-Sterile Screw cap tubes with Looped Cap

Code	Capacity	Outer Diameter	Height	No./case
PI0340	0.5 ml Self-standing	10.2 mm	43.85 mm	1000
PI0342	1.5 ml Self-standing	10.2 mm	44 mm	1000
PI0344	1.5 ml conical	10.2 mm	43.1 mm	1000
PI0346	2.0 ml self-standing	10.2 mm	45.1 mm	1000
PI0348	2.0 ml conical	10.2 mm	44.3 mm	1000
PI0340A	0.5 ml amber Self-standing	10.2 mm	43.85 mm	1000
PI0340A1	0.5 ml transparent amber Self-standing	10.2 mm	43.85 mm	1000
PI0350	0.5 ml coloured Self-standing	10.2 mm	43.85 mm	1000
PI0342A	1.5 ml amber Self-standing	10.2 mm	44 mm	1000
PI0342A1	1.5 ml transparent amber Self-standing	10.2 mm	44 mm	1000
PI0352	1.5 ml coloured Self-standing	10.2 mm	44 mm	1000
PI0344A	1.5 ml amber conical	10.2 mm	43.1 mm	1000
PI0344A1	1.5 ml transparent amber conical	10.2 mm	43.1 mm	1000
PI0354	1.5 ml coloured conical	10.2 mm	43.1 mm	1000

PI0350, PI0352, PI0354, PI0356, PI0358 are available with red, blue, green, yellow, orange, purple & white color looped cap options for color coding

Code	Capacity	Outer Diameter	Height	No./case
PI0346A	2.0 ml amber self-standing	10.2 mm	45.1 mm	1000
PI0346A1	2.0 ml transparent amber self-standing	10.2 mm	45.1 mm	1000
PI0356	2.0 ml coloured self-standing	10.2 mm	45.1 mm	1000
PI0348A	2.0 ml amber Conical	10.2 mm	44.3 mm	1000
PI0348A1	2.0 ml transparent amber Conical	10.2 mm	44.3 mm	1000
PI0358	2.0 ml coloured Conical	10.2 mm	44.3 mm	1000

Last Drop Low Retention Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case
PI0360	0.5 ml Self-standing	10.2 mm	43.85 mm	1000
PI0361	1.5 ml Self-standing	10.2 mm	44 mm	1000
PI0362	1.5 ml conical	10.2 mm	43.1 mm	1000
PI0363	2.0 ml Self-standing	10.2 mm	45.1 mm	1000
PI0364	2.0 ml conical	10.2 mm	44.3 mm	1000

Sterile Screw cap tubes with Looped Cap

Code	Capacity	Outer Diameter	Height	No./case
PI0341	0.5 ml Self-standing	10.2 mm	43.85 mm	1000
PI0343	1.5 ml Self-standing	10.2 mm	44 mm	1000
PI0345	1.5 ml Conical	10.2 mm	43.1 mm	1000
PI0347	2.0 ml self-standing	10.2 mm	45.1 mm	1000
PI0349	2.0 ml Conical	10.2 mm	44.3 mm	1000
PI0341A	0.5 ml amber Self-standing	10.2 mm	43.85 mm	1000
PI0341A1	0.5 ml transparent amber Self-standing	10.2 mm	43.85 mm	1000
PI0351	0.5 ml coloured Self-standing	10.2 mm	43.85 mm	1000
PI0343A	1.5 ml amber Self-standing	10.2 mm	43.95 mm	1000
PI0343A1	1.5 ml transparent amber Self-standing	10.2 mm	44 mm	1000
PI0353	1.5 ml coloured Self-standing	10.2 mm	44 mm	1000
PI0345A	1.5 ml amber conical	10.2 mm	43.1 mm	1000
PI0345A1	1.5 ml transparent amber conical	10.2 mm	43.1 mm	1000
PI0355	1.5 ml coloured conical	10.2 mm	43.1 mm	1000

PI0351, PI0353, PI0355, PI0357 & PI0359 are available with red, blue, green, yellow, orange, purple & white color looped cap options for color coding

Code	Capacity	Outer Diameter	Height	No./case
PI0347A	2.0 ml amber self-standing	10.2 mm	45.1 mm	1000
PI0347A1	2.0 ml transparent amber self-standing	10.2 mm	45.1 mm	1000
PI0357	2.0 ml coloured self-standing	10.2 mm	45.1 mm	1000
PI0349A	2.0 ml amber Conical	10.2 mm	44.3 mm	1000
PI0349A1	2.0 ml transparent amber Conical	10.2 mm	44.3 mm	1000
PI0359	2.0 ml coloured Conical	10.2 mm	44.3 mm	1000

Last Drop Low Retention Screw cap tubes with EPDM O-Ring,PP

Code	Capacity	Outer Diameter	Height	No./case
PI0365	0.5 ml Self-standing	10.2 mm	43.85 mm	1000
PI0366	1.5 ml Self-standing	10.2 mm	44 mm	1000
PI0367	1.5 ml conical	10.2 mm	43.1 mm	1000
PI0368	2.0 ml Self-standing	10.2 mm	45.1 mm	1000
PI0369	2.0 ml conical	10.2 mm	44.3 mm	1000

Centrifuge Tube Techniques

Features

Abdos centrifuge tubes are manufactured from ultra pure USP class VI certified virgin medical grade polypropylene to ensure the highest quality & confirming to US FDA 21 CFR.

Unique printing technology makes the surface chemical resistant & scratch proof.

Perfect grip on screw cap provides secure control on the cap in wet conditions.

Even wall thickness to withstand maximum G-force, 18000*g RCF. Suitable for temperatures between -80°C and +121°C.

Sterile tubes have been validated according to ISO 11137 SAL 10⁻⁶. The large white frosted portion for easy writing. Highly transparent, 5% less haze than competitor.

Hydrodynamic conical bottom for perfect pelleting of sediments.

Free from heavy metals, natural rubber & inhibitory plasticizers.

Gas chromatography/ Mass spectrometry (GC/MS) tests ensure purity of the products.



The Cap


Specially designed flat thread confirms perfect vacuum tight closure, makes it leak proof & prevents override of cap.

Unique plug seal ensures perfect sealing & makes it leak proof.



Centrifuge Tubes Conical Bottom, PP/HDPE

- Abdos Centrifuge tubes are manufactured using high purity virgin USP Class VI Medical grade polypropylene (PP) conforming to US FDA 21 CFR, free from natural rubber & heavy metal.
- The large white frosted portion for easy writing.
- Silk-Screen graduation makes identification easy.
- Amber colour option for light-sensitive samples.
- Built-in plug in the cap makes it leak proof.
- Sterile Tubes have been validated according to ISO 11137 for SAL 10⁻⁶.
- Can withstand up to 18000 xg RCF*.



Centrifuge Tube Conical Bottom, PP/HDPE

Code	Capacity	Cap Colour	Outer Diameter	Height	No./case
PI0430	15 ml (Bulk)	Blue	16.5 mm	121 mm	500
PI0401	15 ml	Blue	16.5 mm	121 mm	500
PI0441	15 ml	Red	16.5 mm	121 mm	500
PI0402	15 ml, Sterile	Blue	16.5 mm	121 mm	500
PI0442	15 ml, Sterile	Red	16.5 mm	121 mm	500
PI0431	50 ml (Bulk)	Blue	29.2 mm	116 mm	500
PI0403	50 ml	Blue	29.2 mm	116 mm	500
PI0443	50 ml	Red	29.2 mm	116 mm	500
PI0404	50 ml, Sterile	Blue	29.2 mm	116 mm	500
PI0444	50 ml, Sterile	Red	29.2 mm	116 mm	500

Centrifuge Tube Conical Bottom, PP AMBER

Code	Capacity	Cap Colour	Outer Diameter	Height	No./case
PI0405	15 ml, Amber	Blue	16.5 mm	121 mm	500
PI0406	15 ml, Sterile Amber	Blue	16.5 mm	121 mm	500
PI0407	50 ml, Amber	Blue	29.2 mm	116 mm	500
PI0408	50 ml, Sterile Amber	Blue	29.2 mm	116 mm	500
PI0405T	15 ml, Transparent Amber	Blue	16.5 mm	121 mm	500
PI0406T	15 ml, Transparent Amber, Sterile	Blue	16.5 mm	121 mm	500
PI0407T	50 ml, Transparent Amber	Blue	29.2 mm	116 mm	500
PI0408T	50 ml, Transparent Amber, Sterile	Blue	29.2 mm	116 mm	500


*Depending on the quality of Centrifuge and compatibility of Rotor.

*Transparent Amber Centrifuge tubes can be supplied upon request.



Centrifuge Tubes Conical Bottom, PS/HDPE

- Abdos Centrifuge tubes are manufactured using high purity virgin USP Class VI Polystyrene (PS) conforming to US FDA 21 CFR, free from natural rubber and heavy metal.
- Polystyrene centrifuge tube are hydrophobic & its biologically inert surface is good for cell and protein recovery.
- Perform well with animal cell culture handling.
- The large white frosted portion for easy writing.
- Silk-Screen graduation makes identification easy.
- Amber colour option for light-sensitive samples.
- Built-in plug in the cap makes it leak proof.
- Sterile Tubes have been validated according to ISO 11137 for SAL 10⁻⁶.
- Can withstand up to 2500 xg RCF*.



Code	Capacity	Cap Colour	Outer Diameter	Height	No./case
PI0419	15 ml, Sterile	Blue	16.5 mm	121 mm	500
PI0421	15 ml, Racked Sterile	Blue	16.5 mm	121 mm	500 (25 pcs x 20 racks)

*Depending on the quality of Centrifuge and compatibility of Rotor.



LAST DROP™, Low Retention Centrifuge Tube Conical Bottom, PP/HDPE

- Abdos Centrifuge tubes are manufactured using high purity virgin USP Class VI Medical grade polypropylene (PP) conforming to US FDA 21 CFR, free from natural rubber & heavy metal.
- The large white frosted portion for easy writing.
- Silk-Screen graduation makes identification easy.
- Amber colour option for light-sensitive samples.
- Built-in plug in the cap makes it leak proof.
- Sterile Tubes have been validated according to ISO 11137 for SAL 10⁻⁶
- Can withstand up to 18000 xg RCF*.
- Abdos low binding technology provides 10 times lesser retention level with highly viscous samples & saves costly reagents.
- Super homogenous surface free sites prevent non-specific binding.



Centrifuge Tube Conical Bottom, PP/HDPE

Code	Capacity	Cap Colour	Outer Diameter	Height	No./case
P10525	15ml, Non-Sterile	Natural	16.5 mm	121 mm	500
P10526	15ml, Sterile	Natural	16.5 mm	121 mm	500
P10527	50ml, Non-Sterile	Natural	29.2 mm	116 mm	500
P10528	50ml, Sterile	Natural	29.2 mm	116 mm	500

Centrifuge Tubes Self Standing, PP/HDPE

- Abdos Centrifuge tubes are manufactured using high purity virgin USP Class VI Medical grade polypropylene (PP) conforming to US FDA 21 CFR, free from natural rubber & heavy metal.
- Skirted bottom makes it easier to use without any rack.
- The large white frosted portion for easy writing.
- Silk-Screen graduation makes identification easy.
- Amber colour option for light-sensitive samples.
- Built-in plug in the cap makes it leak proof.
- Sterile Tubes have been validated according to ISO 11137 for SAL 10⁻⁶.
- Can withstand up to 7000 xg RCF*.



Code	Capacity	Cap Colour	Outer Diameter	Height	No./case
P10432	50 ml (Bulk)	Blue	29.2 mm	117.3 mm	500
P10423	50 ml	Blue	29.2 mm	117.3 mm	500
P10449	50 ml	Red	29.2 mm	117.3 mm	500
P10424	50 ml, Sterile	Blue	29.2 mm	117.3 mm	500
P10450	50 ml, Sterile	Red	29.2 mm	117.3 mm	500

*Depending on the quality of Centrifuge and compatibility of Rotor.



PureRight™ Individually Wrapped Centrifuge Tube Conical Bottom, PP/HDPE

- Abdos Centrifuge tubes are manufactured using high purity virgin USP Class VI Medical grade polypropylene (PP) conforming to US FDA 21 CFR, free from natural rubber & heavy metal.
- Best suited for less number of samples.
- The large white frosted portion for easy writing.
- Silk-Screen graduation makes identification easy.
- Built-in plug in the cap makes it leak proof.
- Sterile Tubes have been validated according to ISO 11137 for SAL 10⁻⁶.
- Can withstand upto 18,000 xg RCF* & 7000 xg RCF* for Conical & Self-standing centrifuge tubes respectively.



Code	Capacity	Cap Colour	Outer Diameter	Height	No./case
P10425	15 ml, Sterile	Blue	16.5 mm	121 mm	600
P10451	15 ml, Sterile	Red	16.5 mm	121 mm	600
P10426	50 ml, Sterile	Blue	29.2 mm	116 mm	350
P10452	50 ml, Sterile	Red	29.2 mm	116 mm	350
P10427	50 ml Self Standing, Sterile	Blue	29.2 mm	117.3 mm	350
P10453	50 ml Self Standing, Sterile	Red	29.2 mm	117.3 mm	350

*Depending on the quality of Centrifuge and compatibility of Rotor.



Racked Centrifuge Tubes Conical Bottom, Paper

- These racks are made of eco-friendly paper to hold 25 Abdos 15 ml & 50 ml Conical Bottom Centrifuge Tubes.



Code	Capacity	Height	Colour	No./case
P10409	15 ml, Rack Only	47 mm	-	10
P10410	50 ml, Rack Only	48 mm	-	10
P10411	15 ml, Racked	121 mm	Blue	500 (25 pcs x 20 racks)
P10412	15 ml, Racked, Sterile	121 mm	Blue	500 (25 pcs x 20 racks)
P10413	15 ml, Amber, Racked	121 mm	Blue	500 (25 pcs x 20 racks)
P10414	15 ml, Amber, Racked, Sterile	121 mm	Blue	500 (25 pcs x 20 racks)
P10415	50 ml, Racked	116 mm	Blue	500 (25 pcs x 20 racks)
P10416	50 ml, Racked, Sterile	116 mm	Blue	500 (25 pcs x 20 racks)
P10417	50 ml, Amber, Racked	116 mm	Blue	500 (25 pcs x 20 racks)
P10418	50 ml, Amber, Racked, Sterile	116 mm	Blue	500 (25 pcs x 20 racks)



MaxiRCF™ Trace Metal Free Centrifuge Tubes


- Abdos MaxiRCF™ Trace Metal Free centrifuge tubes are manufactured using high purity virgin USP Class VI Medical grade polypropylene conforming to US FDA 21 CFR, free from natural rubber & heavy metal.
- Abdos MaxiRCF™ Trace Metal Free Centrifuge Tubes withstands 20,000xg RCF.
- Pure, Additive Free Natural Colour Cap for easy labelling and Trace Metal free.
- Abdos MaxiRCF™ Trace Metal Free Centrifuge Tubes works excellently in high density gradient separation of sample.
- Large white frosted area for easy writing.
- Sterile tubes are validated according to ISO 11137 for SAL 10⁻⁶.

Abdos MaxiRCF™ Trace Metal Free centrifuge tubes are specifically manufactured to ensure that common trace metals and elements that can interfere with experiments are below an ICP-MS detection level of one part per billion (< 1ppb).

Metals included in testing are: Zinc, Iron, Copper, Manganese, Aluminum, Silicon, Nickel, Vanadium, Phosphorous, Cobalt, Chromium, Lithium, Selenium, Cadmium, Mercury, Arsenic, Lead, Boron and Silver.

***Note : MaxiRCF™ Trace Metal Free centrifuge tubes:**

- 50 ml CT (Conical Bottom) with 20000*g RCF
- 50 ml CT (Self Standing) with 7000*g RCF
- 15 ml CT (Conical Bottom) with 20000*g RCF



Code	Capacity	Cap Colour	Outer Diameter	Height	No./case
P10480	15 ml (Bulk)	Natural	16.5 mm	121 mm	500
P10481	15 ml	Natural	16.5 mm	121 mm	500
P10482	15 ml, Sterile	Natural	16.5 mm	121 mm	500
P10483	50 ml (Bulk)	Natural	29.2 mm	116 mm	500
P10484	50 ml	Natural	29.2 mm	116 mm	500
P10485	50 ml, Sterile	Natural	29.2 mm	116 mm	500
P10486	50 ml, Self Standing (Bulk)	Natural	29.2 mm	117.3 mm	500
P10487	50 ml, Self Standing	Natural	29.2 mm	117.3 mm	500
P10488	50 ml, Self Standing (Sterile)	Natural	29.2 mm	117.3 mm	500

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727) 34-54-704

Беларусь +(375) 257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: aqs@nt-rt.ru || сайт: <https://abdos.nt-rt.ru/>