

Магнитные мешалки

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727) 34-54-704

Беларусь +(375) 257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: aqs@nt-rt.ru || сайт: <https://abdos.nt-rt.ru/>

Micro Magnetic Stirrer Bar, PTFE/ALNICO V MAGNET

- For the stirring of liquids on magnetic stirrer and hot plates stirrers.
- Strong alloy magnets sheathed in pure white inert PTFE.
- Resistant to virtually all chemical attack and temperatures up to 260°C.
- For use in small vessels, e.g. test tubes, vials etc.



Code	OD(Ø) X L, (mm)	No./case
P80136	2 x 2 mm	5
P80137	2 x 5 mm	5
P80101	2 x 7 mm	5
P80102	3 x 10 mm	5

Magnetic Stirrer Bar With Pivot Ring, PTFE/ALNICO V MAGNET

- Central pivot ring ensures efficient spinning even on curved or uneven bases.
- For the stirring of liquids on magnetic stirrers and hot plates stirrers.
- Strong alloy magnets sheathed in pure white inert PTFE.
- Resistant to virtually all chemical attack and temperatures up to 260°C.



Code	OD(Ø) X L, (mm)	No./case
P80138	4.5 X 12	10
P80103	4.5 x 15	10
P80124	6 X 12	10
P80104	6 x 20	10
P80123	6 x 25	10
P80105	6 x 30	10
P80139	6 x 35	10
P80125	8 X 13	10
P80106	8 x 40	10
P80107	8 x 50	10
P80126	10 X 25	10
P80108	10 x 60	5
P80109	10 x 70	5
P80127	13 x 75	2
P80140	24 X 57	2
P80141	24 X 108	2
P80142	24 X 159	2

Cylindrical Magnetic Stirrer Bar, PTFE/ALNICO V MAGNET

- Plain design with rounded ends, suitable for a wide range of flat bottomed containers.
- For the stirring of liquids on magnetic stirrers and hot plates stirrers.
- Strong alloy magnets sheathed in pure white inert PTFE.
- Resistant to virtually all chemical attack and temperatures up to 260°C



Code	OD(Ø) X L, (mm)	No./case
P80143	6 X 10	10
P80144	6 X 15	10
P80110	6 x 20	10
P80154	6 x 25	10
P80111	6 x 30	10
P80145	8 X 13	10
P80146	8 X 20	10
P80147	8 X 25	10
P80148	8 X 30	10
P80112	8 x 40	10
P80113	8 x 50	10
P80149	10 x 60	10
P80114	10 x 70	10
P80150	10 x 80	10

Plain Magentic Stirrer Bar, PTFE/ALNICO V MAGNET

- Plain design for more turbulence at low speed.
- For the stirring of liquids on magnetic stirrers and hot plates stirrers.
- Strong alloy magnets sheathed in pure white inert PTFE.
- Resistant to virtually all chemical attack and temperatures up to 260°C.



Code	OD(Ø) X L, (mm)	No./case
P80155	6 X 10	10
P80156	6 X 15	10
P80157	6 x 20	10
P80158	6 x 25	10
P80159	6 x 30	10
P80160	8 X 13	10
P80161	8 x 25	10
P80162	8 x 40	10
P80163	8 x 50	10
P80164	8 x 60	10
P80165	10 x 25	10
P80166	10 x 35	10
P80167	10 x 50	10
P80168	10 x 60	10
P80169	10 x 70	10
P80170	10 x 80	10

Octagonal Magentic Stirrer Bar, PTFE/ALNICO V MAGNET

- Shape gives increased turbulence at low speeds.
- Bars with central pivot ring.
- For the stirring of liquids on magnetic stirrers and hot plates stirrers.
- Strong alloy magnets sheathed in pure white inert PTFE.
- Resistant to virtually all chemical attack and temperatures up to 260°C.



Code	OD(Ø) X L, (mm)	No./case
P80115	8 x 13	10
P80116	8 x 25	10
P80117	8 x 38	10
P80128	8 x 51	10
P80129	8 x 64	10
P80151	10 x 13	10
P80152	10 x 25	10
P80153	10 x 38	10
P80118	10 x 51	10
P80119	13 x 75	10

Oval Magnetic Stirrer Bar, PTFE/ALNICO V MAGNET

- Best suited for round bottom flask.
- For the stirring of liquids on magnetic stirrers and hot plates stirrers.
- Strong alloy magnets sheathed in pure white inert PTFE.
- Resistant to virtually all chemical attack and temperatures up to 260°C.



Code	OD(Ø) X L, (mm)	No./case
P80171	5 x 10	10
P80172	6 x 15	10
P80173	10 x 20	10
P80174	10 x 25	10
P80175	10 x 30	10
P80176	16 x 30	10
P80177	16 x 35	10
P80178	20 x 40	10
P80179	20 x 50	10
P80180	20 x 64	10
P80181	20 x 70	10

Triangular Magnetic Stirrer Bar, PTFE/ALNICO V MAGNET

- Ideal for mixing difficult solutions e.g. dissolving solvents or mixing sediments.
- Spins well giving the best possible mixing action.
- For the stirring of liquids on magnetic stirrers and hot plates stirrers.
- Strong alloy magnets sheathed in pure white inert PTFE.
- Resistant to virtually all chemical attack and temperatures up to 260°C.



Code	OD(Ø) X L, (mm)	No./case
P80130	14 x 25	2
P80131	14 x 40	2
P80132	14 x 55	2
P80182	14 X 80	2

Wings Magnetic Stirrer Bar, PTFE/ALNICO V MAGNET

- Best suited for test tubes.
- For the stirring of liquids on magnetic stirrers and hot plates stirrers.
- Strong alloy magnets sheathed in pure white inert PTFE.
- Resistant to virtually all chemical attack and temperatures upto 260°C.



Code	OD(Ø) X L, (mm)	No./case
P80183	8 x 11	2
P80184	10 x 16	2
P80185	13 x 10	2
P80186	13 x 20	2

Double Ended Magnetic Stirrer Bars, PTFE/ALNICO V MAGNET


- Double ended stirrer bars have double paddle action for efficient stirring plus high stability.
- Strong alloy magnets sheathed in pure white inert PTFE.
- Resistant to virtually all chemical attack and temperatures up to 260°C.



Code	OD(Ø) X L, (mm)	No./case
P80133	8 X 35	5
P80134	8 X 55	5

Cross-spin Magnetic Stirrer Bars, PTFE/ALNICO V MAGNET

- Cross spin stirrer bars add speed and efficiency to your mixing requirements.
- The cross shape creates a deep vortex and provides stable and quiet operation.
- Strong alloy magnets sheathed in pure white inert PTFE.
- Resistant to virtually all chemical attack and temperatures up to 260°C.



Code	OD(Ø) X L, (mm)	No./case
P80135	8 x 20, 9 x 25, 10 x 30, 11 x 38, 15 x 50, 20 x 60	1 set consisting of 1 pcs each

Magnetic Retrievers, PTFE/ALNICO V MAGNET

- Used to retrieve stirrer bar.
- Inert & leak Free.
- Moulded in from FDA approved PTFE and ALNICO V MAGNET.
- Strong alloy magnets sheathed in pure white inert PTFE.
- Resistant to virtually all chemical attack and temperatures up to 260°C.



Code	OD(Ø) X L, (mm)	No./case
P80187	10 x 150	2
P80188	10 x 250	2
P80189	10 x 350	2

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727) 34-54-704

Беларусь +(375) 257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: aqs@nt-rt.ru || сайт: <https://abdos.nt-rt.ru/>